AUTHOR INDEX

A

Abbas, A. K. *See* Rock, Benacerraf, and Abbas.

Abo, T., Tilden, A. B., Balch, C. M., Kumagai, K., Troup, G. M., and Cooper, M. D. Ethnic differences in the lymphocyte proliferative response induced by a murine IgG1 antibody, Leu-4, to the T3 molecule. 303

Abraham, E. *See* Pologe, Cramer, Pawlowski, Abraham, Cohn, and Scott.

Acuto, O. *See* Royer, Bensussan, Acuto, and Reinherz.

Ahmed, R., Salmi, A., Butler, L. D., Chiller, J. M., and Oldstone, M. B. A. Selection of genetic variants of lymphocytic choriomeningitis virus in spleens of persistently infected mice: role in suppression of cytotoxic T lymphocyte response and viral persistence. 521

Alderete, J. F. *See* Peterson and Alderete.

—, J. F. *See* Peterson and Alderete.

Aley, S. B., Cohn, Z. A., and Scott, W. A. Endocytosis in *Entamoeba histolytica*. Evidence for a unique non-acidified compartment. 724

—, Sherwood, J. A., and Howard, R. J. Knob-positive and knob-negative *Plasmodium falciparum* differ in expression of a strain-specific malarial antigen on the surface of infected erythrocytes. 1585

Anderson, D. C. *See* Springer, Thompson, Miller, Schmalstieg, and Anderson.

Anderson, W. L. *See* Spellman, Anderson, Bernhard, and Tomasi.

Andreeff, M. *See* Welte, Andreeff, Platzer, Holloway, Rubin, Moore, and Mertelsmann.

Andrus, L. *See* Granelli-Piperno, Andrus, and Reich.

Astle, C. M. *See* Harrison, Astle, and Lerner.

Auchincloss, H., Jr. *See* Pescovitz, Thistlethwaite, Auchincloss, Ildstad, Sharp, Terrill, and Sachs.

Austin, R. K. *See* Kagnoff, Austin, Hubert, Bernardin, and Kasarda.

B

Baba, A., Fujita, T., and Tamura, N. Sexual dimorphism of the fifth component of mouse complement. 411

Bach, R. G., and Meruelo, D. Identification of a 36,000-molecular weight, gag-related phosphoroprotein in lymphoma cells transformed by radiation leukemia virus. 270

Balch, C. M. *See* Abo, Tilden, Balch, Kumagai, Troup, and Cooper.

Balin, A. K., Fisher, A. J., and Carter, D. M. Oxygen modulates growth of human cells at physiologic partial pressures. 152

Barnes, J. L., and Venkatachalam, M. A. Enhancement of glomerular immune complex deposition by a circulation polycation. 286

Barnwell, J. *See* Gysin, Barnwell, Schlesinger, Nussenzweig, and Nussenzweig.

Batchelor, J. R. *See* Huber, Batchelor, Fuchs, Hausen, Lang, Niederwieser, Reibnegger, Swetly, Troppmair, and Wachter.

Benacerraf, B. *See* Rock and Benacerraf.

—, *See* Rock, Benacerraf, and Abbas.

—, *See* Yeh, Benacerraf, and Rock.

Benirschke, K. *See* Maddox, Kephart, Coulam, Butterfield, Benirschke, and Gleich.

Bensussan, A. *See* Royer, Bensussan, Acuto, and Reinherz.

Bentley, D. M. *See* Norcross, Bentley, Margulies, and Germain.

Bernardin, J. E. *See* Kagnoff, Austin, Hubert, Bernardin, and Kasarda.

Bernhard, E. J. *See* Spellman, Anderson, Bernhard, and Tomasi.

Bernstein, R. M. *See* Mathews, Reichlin, Hughes, and Bernstein.

Berzofsky, J. A. *See* Kawamura, Kohno, Busch, Gurd, and Berzofsky.

Bevilacqua, M. P., Pober, J. S., Majeau, G. R., Cotran, R. S., and Gimbrone, M. A., Jr. Interleukin 1 (IL-1) induces biosynthesis and cell surface expression of procoagulant activity in human vascular endothelial cells. 618

Bigler, R. D. *See* Posnett, Bigler, Bushkin, Fisher, Wang, Mayer, Chiorazzi, and Kunkel.

Blackman, M. *See* Nakanishi, Cohen, Blackman, Nielsen, Ohara, Hamaoka, Koshland, and Paul.

Blaese, R. M. *See* Muchmore, Decker, Blaese, and Nilsson.

Blake, M. S. *See* Russell-Jones, Gotschlich, and Blake.

Bona, C. A. *See* Waters, Luzzatti, and Bona.

Bongiovanni, K. F. *See* Waldmann, Goldman, Robb, Depper, Leonard, Sharrow, Bongiovanni, Korsmeyer, and Greene.

Bowen-Pope, D. F. *See* Striker, Soderland, Bowen-Pope, Gown, Schmer, Johnson, Luchtel, Ross, and Striker.

Bowern, N., Ramshaw, I. A., Clark, I. A., and Doherty, P. C. Inhibition of autoimmune neuropathological process by treatment with an iron-chelating agent. 1532

Boyer, C. *See* Potter, Boyer, Schmitt Verhulst, Golstein, and Rajan.

Bracha, R., and Mirelman, D. Virulence of *Entamoeba histolytica* trophozoites: effects of bacteria, microaerobic conditions, and metronidazole. 353

Braciale, T. J. *See* Lukacher, Braciale, and Braciale.

Braciale, V. L. *See* Lukacher, Braciale, and Braciale.

Braley-Mullen, H. Regulation of the antibody response to type III pneumococcal polysaccharide by contrasuppressor T cells. 42

Brenner, M. B., Trowbridge, I. S., McLean, J., and Strominger, J. L. Identification of shared antigenic determinants of the putative human T lymphocyte antigen receptor. 541

Briggaman, R. A., Schechter, N. M., Fraki, J., and Lazarus, G. S. Degradation of the epidermal-dermal junction by proteolytic enzymes from human skin and human polymorphonuclear leukocytes. 1027

Briles, D. E. *See* McDaniel, Scott, Kearney, and Briles.

Brownlee, M. *See* Vlassara, Brownlee, and Cerami.

Bruce, J. *See* Sprent and Bruce.

—, *See* Sprent and Bruce.

Burakoff, S. J. *See* Murre, Choi, Weis, Seidman, Ozato, Liu, Burakoff, and Reiss.

Busch, M. *See* Kawamura, Kohno, Busch, Gurd, and Berzofsky.

Bushkin, Y. *See* Posnett, Bigler, Bushkin, Fisher, Wang, Mayer, Chiorazzi, and Kunkel.

Butler, L. D. *See* Ahmed, Salmi, Butler, Chiller, and Oldstone.

Butterfield, J. H. *See* Maddox, Kephart, Coulam, Butterfield, Benirschke, and Gleich.

C

Cahalan, M. D. *See* Chandy, DeCoursey, Cahalan, McLaughlin, and Gupta.

Cambier, J. C. *See* Roehm, Leibson, Zlotnick, Kappler, Marrack, and Cambier.

Capra, J. D. *See* Hurley, Giles, Nunez, DeMars, Nadler, Winchester, Stastny, and Capra.

—, *See* Meek, Jeske, Slaoui, Leo, Urbain, and Capra.

Carter, D. M. *See* Balin, Fisher, and Carter.

Celada, A., Gray, P. W., Rinderknecht, E., and Schreiber, R. D. Evidence for a gamma-interferon receptor that regulates macrophage tumoricidal activity. 55

Cerami, A. *See* Vlassara, Brownlee, and Cerami.

Chandy, K. G., DeCoursey, T.E., Cahalan, M. D., McLaughlin, C., and Gupta, S. Voltage-gated potassium channels are required for human T lymphocyte activation. 369

Chen, S.-S., Liu, F.-T., and Katz, D. H. IgE class-restricted tolerance induced by neonatal administration of soluble or cell-bound IgE. Cellular mechanisms. 953

Cheng, H.-W. *See* Wang and Cheng.

Chetty, C. *See* Janusz, Chetty, Eisenberg, Cromartie, and Schwab.

Chiller, J. M. *See* Ahmed, Salmi, Butler, Chiller, and Oldstone.

Chiorazzi, N. *See* Posnett, Bigler, Bushkin, Fisher, Wang, Mayer, Chiorazzi, and Kunkel.

Chizzolini, C. *See* Perrin, Merkli, Loche, Chizzolini, Smart, and Richle.

Choi, E. *See* Murre, Choi, Weis, Seidman, Ozato, Liu, Burakoff, and Reiss.

Chu, A. *See* O'Donnell, Woller, and Chu.

Claësson, M. H., and Miller, R. G. Functional heterogeneity in allospecific cytotoxic T lymphocyte clones. I. CTL clones express strong anti-self suppressive activity. 1702

Clark, I. A. *See* Bowern, Ramshaw, Clark, and Doherty.

Clark, S. C. *See* Trinchieri, Matsumoto-Kobayashi, Clark, Seehra, London, and Perussia.

Cohen, D. I. *See* Nakanishi, Cohen, Blackman, Nielsen, Ohara, Hamaoka, Koshland, and Paul.

Cohn, Z. A. *See* Aley, Cohn, and Scott.

—, *See* Pologe, Cramer, Pawlowski, Abraham, Cohn, and Scott.

Conner, S. *See* Mengle-Gaw, Conner, McDevitt, and Fathman.

Conzelmann, A. *See* Erard, Corthesy, Smith, Fiers, Conzelmann, and Nabholz.

Cooper, M. D. *See* Abo, Tilden, Balch, Kumagai, Troup, and Cooper.

Copeland, C. S. *See* Freedman, Gorrell, Nathan, Copeland, and Silverstein.

Corthesy, P. *See* Erard, Corthesy, Smith, Fiers, Conzelmann, and Nabholz.

Cotran, R. S. *See* Bevilacqua, Pober, Majeau, Cotran, and Gimbrone.

Coulam, C. B. *See* Maddox, Kephart, Coulam, Butterfield, Benirschke, and Gleich.

Cramer, E. B. *See* Pologe, Cramer, Pawlowski, Abraham, Cohn, and Scott.

Cromartie, W. J. *See* Janusz, Chetty, Eisenberg, Cromartie, and Schwab.

D

Dandoy, F., Kelley, K. A., DeMaeyer-Guignard, J., DeMaeyer, E., and Pitha, P. M. Linkage analysis of the murine interferon-α locus on chromosome 4. 294

Davis, M. L. *See* Kruisbeek, Davis, Matis, and Longo.

Davis, M. M. *See* Lee, D'Eustachio, Pravtcheva, Ruddle, Hedrick, and Davis.

de Vries, J. E. *See* Yssel, Spits, and de Vries.

de Waal, L. P. *See* Kast, de Waal, and Melief.

Decker, J. M. *See* Muchmore, Decker, Blaese, and Nilsson.

DeCoursey, T.E. *See* Chandy, DeCoursey, Cahalan, McLaughlin, and Gupta.

DeMaeyer, E. *See* Dandoy, Kelley, DeMaeyer-Guignard, DeMaeyer, and Pitha.

DeMaeyer-Guignard, J. *See* Dandoy, Kelley, DeMaeyer-Guignard, DeMaeyer, and Pitha.

DeMars, R. *See* Hurley, Giles, Nunez, DeMars, Nadler, Winchester, Stastny, and Capra.

Denis, K. A., Treiman, L. J., St. Claire, J. I., and Witte, O. N. Long-term cultures of murine fetal liver retain very early B lymphoid phenotype. 1087

Depper, J. M. *See* Waldmann, Goldman, Robb, Depper, Leonard, Sharrow, Bongiovanni, Korsmeyer, and Greene.

D'Eustachio, P. A genetic map of mouse chromosome 12 composed of polymorphic DNA fragments. 827

—, *See* Lee, D'Eustachio, Pravtcheva, Ruddle, Hedrick, and Davis.

Devos, R. *See* Zubler, Lowenthal, Erard, Hashimoto, Devos, and MacDonald.

Diesselhoff-den Dulk, M. M. C. *See* van Furth and Diesselhoff-den Dulk.

Doherty, P. C. *See* Bowern, Ramshaw, Clark, and Doherty.

Donohue-Rolfe, A., Keusch, G. T., Edson, C., Thorley-Lawson, D., and Jacewicz, M. Pathogenesis of shigella diarrhea. IX. Simplified high yield purification of shigella toxin and characterization of subunit composition and funtion by the use of subunit-specific monoclonal and polyclonal antibodies. 1767

Durie, C. J. *See* Pure, Durie, Summerill, and Unkeless.

Dy, M. *See* Guy-Grand, Dy, Luffau, and Vassalli.

E

Edson, C. *See* Donohue-Rolfe, Keusch, Edson, Thorley-Lawson, and Jacewicz.

Edwards, M., McDade, R. L., Schoolnik, G., Rothbard, J. B., and Gotschlich, E. C. Antigenic analysis of gonococcal pili using monoclonal antibodies. 1782

Eisen, H. N. *See* Sherman, Kranz, and Eisen.

Eisenberg, R. A. *See* Janusz, Chetty, Eisenberg, Cromartie, and Schwab.

Erard, F., Corthesy, P., Smith, K. A., Fiers, W., Conzelmann, A., and Nabholz, M. Characterization of soluble factors that induce the cytolytic activity and the expression of T cell growth factor receptors of a T cell hybrid. 584

—, *See* Zubler, Lowenthal, Erard, Hashimoto, Devos, and MacDonald.

F

Fathman, C. G. *See* Mengle-Gaw, Conner, McDevitt, and Fathman.

Feeney, A. J. *See* Mosier and Feeney.

Fenderson, B. A., Zehavi, U., and Hakomori. S.-I. A multivalent lacto-*N*-fucopentaose III-lysyllysine conjugate decompacts preimplantation mouse embryos, while the free oligosaccharide is ineffective. 1591

Fernandez, R. *See* Rothbard, Fernandez, and Schoolnik.

Fields, B. N. *See* Sharpe, Gaulton, McDade, Fields, and Greene.

Fiers, W. *See* Erard, Corthesy, Smith, Fiers, Conzelmann, and Nabholz.

Fischkoff, S. A., Pollak, A., Gleich, G. J., Testa, J. R., Misawa, S., and Reber, T. J. Eosinophilic differentiation of the human promyelocytic leukemia cell line, HL-60. 179

Fisher, A. J. *See* Balin, Fisher, and Carter.

Fisher, D. E. *See* Posnett, Bigler, Bushkin, Fisher, Wang, Mayer, Chiorazzi, and Kunkel.

Flechner, I. *See* Galili, Rachmilewitz, Peleg, and Flechner.

Fraki, J. *See* Briggaman, Schechter, Fraki, and Lazarus.

Francotte, M., and Urbain, J. Induction of anti-tobacco mosaic virus antibodies in mice by rabbit antiidiotypic antibodies. 1485

Frangione, B. *See* Pons-Estel, Goñi, Solomon, and Frangione.

Frank, M. M. *See* Fries, Gaither, Hammer, and Frank.

Freedman, V. H., Gorrell, T. E., Nathan, C. F., Copeland, C. S., and Silverstein, S. C. Bacillus Calmette-Guérin-activated murine macrophages kill syngeneic melanoma cells under strict anaerobic conditions. 94

Freeman, R. R. *See* Holder and Freeman.

Fries, L. F., Gaither, T. A., Hammer, C. H., and Frank, M. M. C3b covalently bound to IgG demonstrates a reduced rate of inactivation by factors H and I. 1640

Fu, S. M. *See* Jung and Fu.

—, *See* Jung, Hara, and Fu.

Fuchs, D. *See* Huber, Batchelor, Fuchs, Hausen, Lang, Niederwieser, Reibnegger, Swetly, Troppmair, and Wachter.

Fujimoto, J., Stewart, S. J., and Levy, R. Immunochemical analysis of the released Leu-2 (T8) molecule. 116

Fujita, T. *See* Baba, Fujita, and Tamura.

Fukushi, Y., Hakomori, S.-I., and Shepard, T. Localization and alteration of mono-, di-, and trifucosyl $\alpha 1 \rightarrow 3$ type 2 chain structures during human embryogenesis and in human cancer. 506

Fulton, R. J. *See* Vitetta, Fulton, and Uhr.

G

Gaither, T. A. *See* Fries, Gaither, Hammer, and Frank.

Galili, U., Rachmilewitz, E. A., Peleg, A., and Flechner, I. A unique natural human IgG antibody with anti-α-galactosyl specificity. 1519

Gallahan, D. *See* Potter, Hartley, Wax, and Gallahan.

Gariepy, J., O'Hanley, P., Waldman, S. A., Murad, F., and Schoolnik, G. K. A common antigenic determinant found in two functionally unrelated toxins. 1253

Gaulton, G. N. *See* Sharpe, Gaulton, McDade, Fields, and Greene.

Germain, R. N. *See* Norcross, Bentley, Margulies, and Germain.

Ghebrehiwet, B., Silvestri, L., and McDevitt, C. Identification of the Raji cell membrane-derived Clq inhibitor as a receptor for human Clq. Purification and immunochemical characterization. 1375

Giles, R. C. *See* Hurley, Giles, Nunez, DeMars, Nadler, Winchester, Stastny, and Capra.

Gimbrone, M. A., Jr. *See* Bevilacqua, Pober, Majeau, Cotran, and Gimbrone.

Gleich, G. J. *See* Fischkoff, Pollak, Gleich, Testa, Misawa, and Reber.

—, *See* Maddox, Kephart, Coulam, Butterfield, Benirschke, and Gleich.

Goldman, C. K. *See* Waldmann, Goldman, Robb, Depper, Leonard, Sharrow, Bongiovanni, Korsmeyer, and Greene.

Goldschneider, I. *See* Hayashi, Medlock, and Goldschneider.

Golstein, P. *See* Potter, Boyer, Schmitt Verhulst, Golstein, and Rajan.

Goñi, F. *See* Pons-Estel, Goni, Solomon, and Frangione.

Gorrell, T. E. *See* Freedman, Gorrell, Nathan, Copeland, and Silverstein.

Gotschlich, E. C. *See* Edwards, McDade, Schoolnik, Rothbard, and Gotschlich.

—, *See* Russell-Jones and Gotschlich.

—, *See* Russell-Jones, Gotschlich, and Blake.

Gown, A. M. *See* Striker, Soderland, Bowen-Pope, Gown, Schmer, Johnson, Luchtel, Ross, and Striker.

Granelli-Piperno, A., Andrus, L., and Reich, E. Antibodies to interleukin 2. Effects on immune responses in vitro and in vivo. 738

—, Inaba, K., and Steinman, R. M. Stimulation of lymphokine release from T lymphoblasts. Requirement for mRNA synthesis and inhibition by cyclosporin A. 1792

Gray, P. W. *See* Celada, Gray, Rinderknecht, and Schreiber.

Greene, M. I. *See* Sharpe, Gaulton, McDade, Fields, and Greene.

Greene, W. C. *See* Robb, Greene, and Rusk.

—, *See* Waldmann, Goldman, Robb, Depper, Leonard, Sharrow, Bongiovanni, Korsmeyer, and Greene.

Griffin, F. M., Jr., and Mullinax, P. J. Augmentation of macrophage complement receptor function in vitro. IV. The lymphokine that activates macrophage C3 receptors for phagocytosis binds to a fucose-bearing glycoprotein on the macrophage plasma membrane. 1206

Gross, D. *See* Houghton, Thomson, Gross, Oettgen, and Old.

Guillemot, F. P., Oliver, P. D., Peault, B. M., and Le Douarin, N. M. Cells expressing Ia antigens in the avian thymus. 1803

Gupta, S. *See* Chandy, DeCoursey, Cahalan, McLaughlin, and Gupta.

Gurd, F. R. N. *See* Kawamura, Kohno, Busch, Gurd, and Berzofsky.

Guthrie, L. A., McPhail, L. C., Henson, P. M., and Johnston, R. B., Jr. Priming of neutrophils for enhanced release of oxygen metabolites by bacterial lipopolysaccharide. Evidence for increased activity of the superoxide-producing enzyme. 1656

Guy-Grand, D., Dy, M., Luffau, G., and Vassalli, P. Gut mucosal mast cells: origin, traffic, and differentiation. 12

Gysin, J., Barnwell, J., Schlesinger, D. H., Nussenzweig, V., and Nussenzweig, R. S. Neutralization of the infectivity of sporozoites of *Plasmodium knowlesi* by antibodies to a synthetic peptide. 935

H

Hakomori, S.-I. *See* Fukushi, Hakomori, and Shepard.

—, *See* Fenderson, Zehavi, and Hakomori. S.-I..

Hamaguchi, H. *See* Susuki, Yabe, Satake, Juji, and Hamaguchi.

Hamaoka, T. *See* Nakanishi, Cohen, Blackman, Nielsen, Ohara, Hamaoka, Koshland, and Paul.

—, *See* Nakanishi, Malek, Smith, Hamaoka, Shevach, and Paul.

Hammer, C. H. *See* Fries, Gaither, Hammer, and Frank.

Hannum, C. *See* Haskins, Hannum, White, Roehm, Kubo, Kappler, and Marrack.

Hara, H. *See* Sonoda, Kanayama, Hara, Hayashi, Tadokoro, Yonezawa, and Kitamura.

Hara, T. *See* Jung, Hara, and Fu.

Harrison, D. E., Astle, C. M., and Lerner, C. Ultimate erythropoietic repopulating abilities of fetal, young adult, and old adult cells compared using repeated irradiation. 759

Hartley, J. W. *See* Potter, Hartley, Wax, and Gallahan.

Hartzman, R. J. *See* Robinson, Long, Johnson, Hartzman, Mach, and Kindt.

Hashimoto, N. *See* Zubler, Lowenthal, Erard, Hashimoto, Devos, and MacDonald.

Haskins, K., Hannum, C., White, J., Roehm, N., Kubo, R., Kappler, J., and Marrack, P. The antigen-specific, major histocompatibility complex-restricted receptor on T cells. VI. An antibody to a receptor allotype. 452

Hausen, A. *See* Huber, Batchelor, Fuchs, Hausen, Lang, Niederwieser, Reibnegger, Swetly, Troppmair, and Wachter.

Hayashi, C. *See* Sonoda, Kanayama, Hara, Hayashi, Tadokoro, Yonezawa, and Kitamura.

Hayashi, J., Medlock, E. S., and Goldschneider, I. A selective culture system for generating terminal deoxynucleotidyl transferase-positive (TdT^+) lymphoid precursor cells in vitro. I. Description of the culture system. 1622

Hedrick, S. M. *See* Lee, D'Eustachio, Pravtcheva, Ruddle, Hedrick, and Davis.

Henkart, M. P. *See* Henkart, Millard, Reynolds, and Henkart.

Henkart, P. A., Millard, P. J., Reynolds, C. W., and Henkart, M. P. Cytolytic activity of purified cytoplasmic granules from cytotoxic rat large granular lymphocyte tumors. 75

Henson, P. M. *See* Guthrie, McPhail, Henson, and Johnston.

Herberman, R. B. *See* Wiltrout, Mathieson, Talmadge, Reynolds, Zhang, Herberman, and Ortaldo.

Herzenberg, L. A. *See* Kawata, Parnes, and Herzenberg.

Hiernaux, J. *See* Slaoui, Leo, Marvel, Moser, Hiernaux, and Urbain.

Hill, H. R. *See* Sacchi and Hill.

Hochman, P. S., and Huber, B. T. A class II gene conversion event defines an antigen-specific *Ir* gene epitope. 1925

Holder, A. A., and Freeman, R. R. The three major antigens on the surface of *Plasmodium falciparum* merozoites are derived from a single high molecular weight precursor. 624

Holloway, K. *See* Welte, Andreeff, Platzer, Holloway, Rubin, Moore, and Mertelsmann.

Horvat, R. T. *See* Parmely, Iglewski, and Horvat.

Houghton, A. N., Thomson, T. M., Gross, D., Oettgen, H. F., and Old, L. J. Surface antigens of melanoma and melanocytes: specificity of induction of Ia antigens by human γ-interferon. 255

—, *See* Real, Mattes, Houghton, Oettgen, Lloyd, and Old.

Howard, R. J. *See* Aley, Sherwood, and Howard.

Huber, B. T. *See* Hochman and Huber.

Huber, C., Batchelor, J. R., Fuchs, D., Hausen, A., Lang, A., Niederwieser, D., Reibnegger, G., Swetly, P., Troppmair, J., and Wachter, H. Immune response-associated production of neopterin: release from macrophages primarily under control of interferon-gamma. 310

Hubert, J. J. *See* Kagnoff, Austin, Hubert, Bernardin, and Kasarda.

Hughes, G. R. V. *See* Mathews, Reichlin, Hughes, and Bernstein.

Hurley, C. K., Giles, R. C., Nunez, G., DeMars, R., Nadler, L., Winchester, R., Stastny, P., and Capra, J. D. Molecular localization of human class II MT2 and MT3 determinants. 472

I

Iglewski, B. H. *See* Parmely, Iglewski, and Horvat.

Ildstad, S. T., Wren, S. M., Sharrow, S. O., Stephany, D., and Sachs, D. H. In vivo and in vitro characterization of specific hyporectivity to skin xenografts in mixed xenogeneically reconstituted mice (B10 + F344 rat → B10). 1820

—, *See* Pescovitz, Thistlethwaite, Auchincloss, Ildstad, Sharp, Terrill, and Sachs.

Inaba, K., and Steinman, R. M. Resting and sensitized T lymphocytes exhibit distinct stimulatory (antigen-presenting cell) requirements for growth and lymphokine release. 1717

—, Witmer, M. D., and Steinman, R. M. Clustering of dendritic cells, helper T lymphocytes, and histocompatible B cells during primary antibody responses in vitro. 858

—, *See* Granelli-Piperno, Inaba, and Steinman.

Ishihara, T., Kudo, A., and Watanabe, T. Induction of immunoglobulin gene expression in mouse fibroblasts by cyclohexamide treatment. 1937

J

Jacewicz, M. *See* Donohue-Rolfe, Keusch, Edson, Thorley-Lawson, and Jacewicz.

Janusz, M. J., Chetty, C., Eisenberg, R. A., Cromartie, W. J., and Schwab, J. H. Treatment of experimental erosive arthritis in rats by injection of the muralytic enzyme mutanolysin. 1360

Jensen, P. E., Pierce, C. W., and Kapp, J. A. Regulatory mechanisms in immune responses to heterologous insulins. II. Suppressor T cell activation associated with nonresponsiveness in H-2^b mice. 1012

Jeske, D. *See* Meek, Jeske, Slaoui, Leo, Urbain, and Capra.

Johnson, A. H. *See* Robinson, Long, Johnson, Hartzman, Mach, and Kindt.

Johnson, A. *See* Striker, Soderland, Bowen-Pope, Gown, Schmer, Johnson, Luchtel, Ross, and Striker.

Johnson, J. P., and Wank, R. Identification of two *cis*-encoded HLA-DQ molecules that carry distinct alloantigenic specificities. 1350

Johnston, R. B., Jr. *See* Guthrie, McPhail, Henson, and Johnston.

Jones, C. Increased cytotoxicity of normal rabbit serum for lectin-resistant mutants of animal cells. 1241

Jones, S. A., Marchitto, K. S., Miller, J. N., and Norgard, M. V. Monoclonal antibody with hemagglutination, immobilization, and neutralization activities defines an immunodominant, 47,000 mol wt, surface-exposed immunogen of *Treponema pallidum* (Nichols). 1404

Juji, T. *See* Susuki, Yabe, Satake, Juji, and Hamaguchi.

Jung, L. K. L., and Fu, S. M. Selective inhibition of growth factor-dependent human B cell proliferation by monoclonal antibody AB1 to an antigen expressed by activated B cells. 1919

—, Hara, T., and Fu, S. M. Detection and functional studies of p60-65 (Tac antigen) on activated human B cells. 1597

K

Kagnoff, M. F., Austin, R. K., Hubert, J. J., Bernardin, J. E., and Kasarda, D. D. Possible role for a human adenovirus in the pathogenesis of celiac disease. 1544

—, *See* Klein and Kagnoff.

Kanayama, Y. *See* Sonoda, Kanayama, Hara, Hayashi, Tadokoro, Yonezawa, and Kitamura.

Kapp, J. A. *See* Jensen, Pierce, and Kapp.

Kappler, J. *See* Haskins, Hannum, White, Roehm, Kubo, Kappler, and Marrack.

—, *See* Roehm, Leibson, Zlotnick, Kappler, Marrack, and Cambier.

Karpovsky, B., Titus, J. A., Stephany, D. A., and Segal, D. M. Production of target-specific effector cells using hetero-cross-linked aggregates containing anti-target cell and anti-Fcγ receptor antibodies. 1686

Kasarda, D. D. *See* Kagnoff, Austin, Hubert, Bernardin, and Kasarda.

Kast, W. M., de Waal, L. P., and Melief, C. J. M. Thymus dictates major histocompatibility complex (MHC) specificity and immune response gene phenotype of class II MHC-restricted T cells but not of class I MHC-restricted T cells. 1752

Katz, D. H. *See* Chen, Liu, and Katz.

Kawamura, H., Kohno, Y., Busch, M., Gurd, F. R. N., and Berzofsky, J. A. A major anti-myoglobin idiotype. Influence of *H-2*-linked *Ir* genes on idiotype expression. 659

Kawata, M., Parnes, J. R., and Herzenberg, L. A. Transcriptional control of HLA-A,B,C antigen in human placental cytotrophoblast isolated using trophoblast- and HLA-specific monoclonal antibodies and the fluorescence-activated cell sorter. 633

Kearney, J. F. *See* McDaniel, Scott, Kearney, and Briles.

Kelley, K. A. *See* Dandoy, Kelley, DeMaeyer-Guignard, DeMaeyer, and Pitha.

Kephart, G. M. *See* Maddox, Kephart, Coulam, Butterfield, Benirschke, and Gleich.
Keusch, G. T. *See* Donohue-Rolfe, Keusch, Edson, Thorley-Lawson, and Jacewicz.
Kimura, H., Pickard, A., and Wilson, D. B. Analysis of T cell populations that induce and mediate specific resistance to graft-versus-host disease in rats. 652
Kindt, T. J. *See* Robinson, Long, Johnson, Hartzman, Mach, and Kindt.
Kinoshita, T. *See* Medof, Kinoshita, and Nussenzweig.
Kitamura, Y. *See* Sonoda, Kanayama, Hara, Hayashi, Tadokoro, Yonezawa, and Kitamura.
Klaus-Kovtun, V. *See* Koulu, Kusimi, Steinberg, Klaus-Kovtun, and Stanley.
Klein, J. R., and Kagnoff, M. F. Nonspecific recruitment of cytotoxic effector cells in the intestinal mucosa of antigen-primed mice. 1931
Köhler, G. *See* Zhu, Lefkovits, and Köhler.
Kohno, Y. *See* Kawamura, Kohno, Busch, Gurd, and Berzofsky.
Konigsberg, P. J. *See* Podack and Konigsberg.
Koopman, W. J. *See* Spalding, Williamson, Koopman, and McGhee.
Korsmeyer, S. J. *See* Waldmann, Goldman, Robb, Depper, Leonard, Sharrow, Bongiovanni, Korsmeyer, and Greene.
Koshland, M. E. *See* Lamson and Koshland.
—, *See* Nakanishi, Cohen, Blackman, Nielsen, Ohara, Hamaoka, Koshland, and Paul.
Koulu, L., Kusimi, A., Steinberg, M. S., Klaus-Kovtun, V., and Stanley, J. R. Human autoantibodies against a desmosomal core protein in pemphigus foliaceus. 1509
Krammer, P. H. *See* Layton, Vitetta, Uhr, and Krammer.
Kranz, D. M. *See* Sherman, Kranz, and Eisen.
Kruisbeek, A. M., Davis, M. L., Matis, L. A., and Longo, D. L. Self-recognition specificity expressed by T cells from nude mice. Absence of detectable Ia-restricted T cells in nude mice that do exhibit self-K/D-restricted T cell responses. 839
Kubo, R. *See* Haskins, Hannum, White, Rochm, Kubo, Kappler, and Marrack.
Kudo, A. *See* Ishihara, Kudo, and Watanabe.
Kumagai, K. *See* Abo, Tilden, Balch, Kumagai, Troup, and Cooper.
Kunkel, H. G. *See* Posnett, Bigler, Bushkin, Fisher, Wang, Mayer, Chiorazzi, and Kunkel.
Kusimi, A. *See* Koulu, Kusimi, Steinberg, Klaus-Kovtun, and Stanley.

L

Lamson, G., and Koshland, M. E. Changes in J chain and μ chain RNA expression as a function of B cell differentiation. 877
Lang, A. *See* Huber, Batchelor, Fuchs, Hausen, Lang, Niederwieser, Reibnegger, Swetly, Troppmair, and Wachter.
Larizza, L., Schirrmacher, V., and Pflüger, E. Acquisition of high metastatic capacity after in vitro fusion of a nonmetastatic tumor line with a bone marrow-derived macrophage. 1579
Lawrence, J. *See* Raso and Lawrence.
Layton, J. E., Vitetta, E. S., Uhr, J. W., and Krammer, P. H. Clonal analysis of B cells induced to secrete IgG by T cell-derived lymphokine(s). 1850
Lazarus, G. S. *See* Briggaman, Schechter, Fraki, and Lazarus.
Le Douarin, N. M. *See* Guillemot, Oliver, Peault, and Le Douarin.
Lee, N. E., D'Eustachio, P., Pravtcheva, D., Ruddle, F. H., Hedrick, S. M., and Davis, M. M. Murine T cell receptor beta chain is encoded on chromosome 6. 905
Lefkovits, I. *See* Zhu, Lefkovits, and Köhler.
Leibson, H. J. *See* Roehm, Leibson, Zlotnick, Kappler, Marrack, and Cambier.
Leo, O. *See* Meek, Jeske, Slaoui, Leo, Urbain, and Capra.
—, *See* Slaoui, Leo, Marvel, Moser, Hiernaux, and Urbain.
Leonard, W. J. *See* Waldmann, Goldman, Robb, Depper, Leonard, Sharrow, Bongiovanni, Korsmeyer, and Greene.
Lerner, C. *See* Harrison, Astle, and Lerner.
Levy, R. *See* Fujimoto, Stewart, and Levy.
Liu, F.-T. *See* Chen, Liu, and Katz.
Liu, L. *See* Murre, Choi, Weis, Seidman, Ozato, Liu, Burakoff, and Reiss.
Lloyd, K. O. *See* Real, Mattes, Houghton, Oettgen, Lloyd, and Old.
Loche, M. *See* Perrin, Merkli, Loche, Chizzolini, Smart, and Richle.
London, L. *See* Trinchieri, Matsumoto-Kobayashi, Clark, Seehra, London, and Perussia.
Long, E. O. *See* Robinson, Long, Johnson, Hartzman, Mach, and Kindt.
Longo, D. L. *See* Kruisbeek, Davis, Matis, and Longo.
Lowenthal, J. W. *See* Zubler, Lowenthal, Erard, Hashimoto, Devos, and MacDonald.
Luchtel, D. *See* Striker, Soderland, Bowen-Pope, Gown, Schmer, Johnson, Luchtel, Ross, and Striker.
Luffau, G. *See* Guy-Grand, Dy, Luffau, and Vassalli.
Lukacher, A. E., Braciale, V. L., and Braciale, T. J. In vivo effector function of influenza virus-specific cytotoxic T lymphocyte clones is highly specific. 814
Luster, A. D. *See* Pure, Luster, and Unkeless.
Luzzatti, P. R. *See* Waters, Luzzatti, and Bona.

M

MacDonald, H. R. *See* Zubler, Lowenthal, Erard, Hashimoto, Devos, and MacDonald.
Mach, B. *See* Robinson, Long, Johnson, Hartzman, Mach, and Kindt.
Maddox, D. E., Kephart, G. M., Coulam, C. B., Butterfield, J. H., Benirschke, K., and Gleich, G. J. Localization of a molecule immunochemically similar to eosinophil major basic protein in human placenta. 29
Majeau, G. R. *See* Bevilacqua, Pober, Majeau, Cotran, and Gimbrone.

Malek, T. R. *See* Nakanishi, Malek, Smith, Hamaoka, Shevach, and Paul.

Mannik, M. *See* Rifai and Mannik.

Marchitto, K. S. *See* Jones, Marchitto, Miller, and Norgard.

Margulies, D. H. *See* Norcross, Bentley, Margulies, and Germain.

Marrack, P. *See* Haskins, Hannum, White, Roehm, Kubo, Kappler, and Marrack.

—. *See* Roehm, Leibson, Zlotnick, Kappler, Marrack, and Cambier.

Marvel, J. *See* Slaoui, Leo, Marvel, Moser, Hiernaux, and Urbain.

Mathews, M. B., Reichlin, M., Hughes, G. R. V., and Bernstein, R. M. Anti-threonyl-tRNA synthetase, a second myositis-related autoantibody. 420

Mathieson, B. J. *See* Wiltrout, Mathieson, Talmadge, Reynolds, Zhang, Herberman, and Ortaldo.

Matis, L. A. *See* Kruisbeek, Davis, Matis, and Longo.

Matsumoto-Kobayashi, M. *See* Trinchieri, Matsumoto-Kobayashi, Clark, Seehra, London, and Perussia.

Mattes, M. J. *See* Real, Mattes, Houghton, Oettgen, Lloyd, and Old.

Mayer, L. F. *See* Posnett, Bigler, Bushkin, Fisher, Wang, Mayer, Chiorazzi, and Kunkel.

McDade, K. K. *See* Sharpe, Gaulton, McDade, Fields, and Greene.

McDade, R. L. *See* Edwards, McDade, Schoolnik, Rothbard, and Gotschlich.

McDaniel, L. S., Scott, G., Kearney, J. F., and Briles, D. E. Monoclonal antibodies against protease-sensitive pneumococcal antigens can protect mice from fatal infection with *Streptococcus pneumoniae*. 386

McDevitt, C. *See* Ghebrehiwet, Silvestri, and McDevitt.

McDevitt, H. O. *See* Mengle-Gaw, Conner, McDevitt, and Fathman.

McGee, M. P. *See* Rothberger and McGee.

McGhee, J. R. *See* Spalding, Williamson, Koopman, and McGhee.

McLaughlin, C. *See* Chandy, DeCoursey, Cahalan, McLaughlin, and Gupta.

McLean, J. *See* Brenner, Trowbridge, McLean, and Strominger.

McPhail, L. C. *See* Guthrie, McPhail, Henson, and Johnston.

Medlock, E. S. *See* Hayashi, Medlock, and Goldschneider.

Medof, M. E., Kinoshita, T., and Nussenzweig, V. Inhibition of complement activation on the surface of cells after incorporation of decay-accelerating factor (DAF) into their membranes. 1558

Meek, K., Jeske, D., Slaoui, M., Leo, O., Urbain, J., and Capra, J. D. Complete amino acid sequence of heavy chain variable regions derived from two monoclonal anti-*p*-azophenylarsonate antibodies of BALB/c mice expressing the major cross-reactive idiotype of the A/J strain. 1070

Melief, C. J. M. *See* Kast, de Waal, and Melief.

Mengle-Gaw, L., Conner, S., McDevitt, H. O., and Fathman, C. G. Gene conversion between murine class II major histocompatibility complex loci. Functional and molecular evidence from the bm12 mutant. 1184

Mercurio, A. M., Schwarting, G. A., and Robbins, P. W. Glycolipids of the mouse peritoneal macrophage. Alterations in amount and surface exposure of specific glycolipid species occur in response to inflammation and tumoricidal activition. 1114

Merkli, B. *See* Perrin, Merkli, Loche, Chizzolini, Smart, and Richle.

Mertelsmann, R. *See* Welte, Andreeff, Platzer, Holloway, Rubin, Moore, and Mertelsmann.

Meruelo, D. *See* Bach and Meruelo.

Millard, P. J. *See* Henkart, Millard, Reynolds, and Henkart.

Miller, J. N. *See* Jones, Marchitto, Miller, and Norgard.

Miller, L. J. *See* Springer, Thompson, Miller, Schmalstieg, and Anderson.

Miller, R. G. *See* Claësson and Miller.

Mirelman, D. *See* Bracha and Mirelman.

Misawa, S. *See* Fischkoff, Pollak, Gleich, Testa, Misawa, and Reber.

Moore, M. A. S. *See* Welte, Andreeff, Platzer, Holloway, Rubin, Moore, and Mertelsmann.

Moser, M. *See* Slaoui, Leo, Marvel, Moser, Hiernaux, and Urbain.

Mosier, D. E., and Feeney, A. J. Interaction of helper T cells and Lyb5$^+$ B cells responding to phosphorylcholine is MHC-restricted. 329

—, *See* Webb, Mosier, Wilson, and Sprent.

Muchmore, A. V., Decker, J. M., Blaese, R. M., and Nilsson, B. Purification and characterization of a mannose-containing disaccharide obtained from human pregnancy urine. A new immunoregulatory saccharide. 1672

Mullinax, P. J. *See* Griffin and Mullinax.

Murad, F. *See* Gariepy, O'Hanley, Waldman, Murad, and Schoolnik.

Murray, H. W. *See* Nathan, Prendergast, Wiebe, Stanley, Platzer, Remold, Welte, Rubin, and Murray.

Murre, C., Choi, E., Weis, J., Seidman, J. G., Ozato, K., Liu, L., Burakoff, S. J., and Reiss, C. S. Dissection of serological and cytolytic T lymphocyte epitopes on murine major histocompatibility antigens by a recombinant H-2 gene separating the first two external domains. 167

N

Nabholz, M. *See* Erard, Corthesy, Smith, Fiers, Conzelmann, and Nabholz.

Nadler, L. *See* Hurley, Giles, Nunez, DeMars, Nadler, Winchester, Stastny, and Capra.

Nakanishi, K., Cohen, D. I., Blackman, M., Nielsen, E., Ohara, J., Hamaoka, T., Koshland, M. E., and Paul, W. E. Ig RNA expresion in normal B cells stimulated with anti-IgM antibody and T cell-derived growth and differentiation factors. 1736

—, Malek, T. R., Smith, K. A., Hamaoka, T., Shevach, E. M., and Paul, W. E. Both interleukin 2 and a second T cell-derived factor in EL-4 supernatant have activity as differentiation factors in IgM synthesis. 1605

Nathan, C. F., Prendergast, T. J., Wiebe, M. E., Stanley, E. R., Platzer, E., Remold, H. G., Welte, K., Rubin, B. Y., and Murray, H. W. Activation of human macrophages: comparison of other cytokines with interferon-α. 600

—, *See* Freedman, Gorrell, Nathan, Copeland, and Silverstein.

Niederwieser, D. *See* Huber, Batchelor, Fuchs, Hausen, Lang, Niederwieser, Reibnegger, Swetly, Troppmair, and Wachter.

Nielsen, E. *See* Nakanishi, Cohen, Blackman, Nielsen, Ohara, Hamaoka, Koshland, and Paul.

Nilsson, B. *See* Muchmore, Decker, Blaese, and Nilsson.

Norcross, M. A., Bentley, D. M., Margulies, D. H., and Germain, R. N. Membrane Ia expression and antigen-presenting accessory cell function of L cells transfected with class II major histocompatibility genes. 1316

Norgard, M. V. *See* Jones, Marchitto, Miller, and Norgard.

Nunez, G. *See* Hurley, Giles, Nunez, DeMars, Nadler, Winchester, Stastny, and Capra.

Nussenzweig, R. S. *See* Gysin, Barnwell, Schlesinger, Nussenzweig, and Nussenzweig.

Nussenzweig, V. *See* Gysin, Barnwell, Schlesinger, Nussenzweig, and Nussenzweig.

—, *See* Medof, Kinoshita, and Nussenzweig.

O

O'Donnell, P. V., Woller, R., and Chu, A. Stages in development of mink cell focus-inducing (MCF) virus-accelerated leukemia in AKR mice. 914

Oettgen, H. F. *See* Houghton, Thomson, Gross, Oettgen, and Old.

—, *See* Real, Mattes, Houghton, Oettgen, Lloyd, and Old.

O'Hanley, P. *See* Gariepy, O'Hanley, Waldman, Murad, and Schoolnik.

Ohara, J. *See* Nakanishi, Cohen, Blackman, Nielsen, Ohara, Hamaoka, Koshland, and Paul.

Old, L. J. *See* Houghton, Thomson, Gross, Oettgen, and Old.

—, *See* Real, Mattes, Houghton, Oettgen, Lloyd, and Old.

Oldstone, M. B. A. *See* Ahmed, Salmi, Butler, Chiller, and Oldstone.

Oliver, P. D. *See* Guillemot, Oliver, Peault, and Le Douarin.

Ortaldo, J. R. *See* Wiltrout, Mathieson, Talmadge, Reynolds, Zhang, Herberman, and Ortaldo.

Ottaway, C. A. In vitro alteration of receptors for vasoactive intestinal peptide changes the in vivo localization of mouse T cells. 1054

Ozato, K. *See* Murre, Choi, Weis, Seidman, Ozato, Liu, Burakoff, and Reiss.

P

Parmely, M. J., Iglewski, B. H., and Horvat, R. T. Identification of the principal T lymphocyte-stimulating antigens of *Pseudomonas aeruginosa*. 1338

Parnes, J. R. *See* Kawata, Parnes, and Herzenberg.

Paul, W. E. *See* Nakanishi, Cohen, Blackman, Nielsen, Ohara, Hamaoka, Koshland, and Paul.

—, *See* Nakanishi, Malek, Smith, Hamaoka, Shevach, and Paul.

Pawlowski, N. A. *See* Pologe, Cramer, Pawlowski, Abraham, Cohn, and Scott.

Peault, B. M. *See* Guillemot, Oliver, Peault, and Le Douarin.

Peleg, A. *See* Galili, Rachmilewitz, Peleg, and Flechner.

Perkins, M. E. Surface proteins of *Plasmodium falciparum* merozoites binding to the erythrocyte receptor, glycophorin. 788

Perrin, L. H., Merkli, B., Loche, M., Chizzolini, C., Smart, J., and Richle, R. Antimalarial immunity in Saimiri monkeys: immunization with surface components of asexual blood stages. 441

Perussia, B. *See* Trinchieri, Matsumoto-Kobayashi, Clark, Seehra, London, and Perussia.

Pescovitz, M. D., Thistlethwaite, J. R., Jr., Auchincloss, H., Jr., Ildstad, S. T., Sharp, T. G., Terrill, R., and Sachs, D. H. Effect of class II antigen matching on renal allograft survival in miniature swine. 1495

Peterson, K. M., and Alderete, J. F. Iron uptake and increased intracellular enzyme activity follow host lactoferrin binding by *Trichomonas vaginalis* receptors. 398

—, and Alderete, J. F. *Trichomonas vaginalis* is dependent on uptake and degradation of human low density lipoproteins. 1261

Pflüger, E. *See* Larizza, Schirrmacher, and Pflüger.

Pickard, A. *See* Kimura, Pickard, and Wilson.

Pierce, C. W. *See* Jensen, Pierce, and Kapp.

Pitha, P. M. *See* Dandoy, Kelley, DeMaeyer-Guignard, DeMaeyer, and Pitha.

Platzer, E. *See* Nathan, Prendergast, Wiebe, Stanley, Platzer, Remold, Welte, Rubin, and Murray.

—, *See* Welte, Andreeff, Platzer, Holloway, Rubin, Moore, and Mertelsmann.

Pober, J. S. *See* Bevilacqua, Pober, Majeau, Cotran, and Gimbrone.

Podack, E. R., and Konigsberg, P. J. Cytolytic T cell granules. Isolation, structural, biochemical, and functional characterization. 695

Pollak, A. *See* Fischkoff, Pollak, Gleich, Testa, Misawa, and Reber.

Pologe, L. G., Cramer, E. B., Pawlowski, N. A., Abraham, E., Cohn, Z. A., and Scott, W. A. Stimulation of human endothelial cell prostacyclin synthesis by select leukotrienes. 1043

Pons-Estel, B., Goñi, F., Solomon, A., and Frangione, B. Sequence similarities among κIIIb chains of monoclonal human IgMκ autoantibodies. 893

Posnett, D. N., Bigler, R. D., Bushkin, Y., Fisher, D. E., Wang, C. Y., Mayer, L. F., Chiorazzi, N., and Kunkel, H. G. T cell antiidiotypic antibodies reveal differences between two human leukemias. 494

Potter, M., Hartley, J. W., Wax, J. S., and Gallahan, D. Effect of MuLV-related genes on plasmacytomagenesis in BALB/c mice. 435

Potter, T. A., Boyer, C., Schmitt Verhulst, A.-M., Golstein, P., and Rajan, T. V. Expression of H-2D^b on the cell surface in the absence of detectable β2 microglobulin. 317

Pravtcheva, D. *See* Lee, D'Eustachio, Pravtcheva, Ruddle, Hedrick, and Davis.

Prendergast, T. J. *See* Nathan, Prendergast, Wiebe, Stanley, Platzer, Remold, Welte, Rubin, and Murray.

Pure, E., Durie, C. J., Summerill, C. K., and Unkeless, J. C. Identification of soluble Fc receptors in mouse serum and the conditioned medium of stimulated B cells. 1836

—, Luster, A. D., and Unkeless, J. C. Cell surface expression of murine, rat, and human Fc receptors by *Xenopus* oocytes. 606

R

Rachmilewitz, E. A. *See* Galili, Rachmilewitz, Peleg, and Flechner.

Rajan, T. V. *See* Potter, Boyer, Schmitt Verhulst, Golstein, and Rajan.

Ramshaw, I. A. *See* Bowern, Ramshaw, Clark, and Doherty.

Raso, V., and Lawrence, J. Carboxylic ionophores enhance the cytotoxic potency of ligand- and antibody-delivered ricin A chain. 1234

Real, F. X., Mattes, M. J., Houghton, A. N., Oettgen, H. F., Lloyd, K. O., and Old, L. J. Class 1 (unique) tumor antigens of human melanoma. Identification of a 90,000 dalton cell surface glycoprotein by autologous antibody. 1219

Reber, T. J. *See* Fischkoff, Pollak, Gleich, Testa, Misawa, and Reber.

Reibnegger, G. *See* Huber, Batchelor, Fuchs, Hausen, Lang, Niederwieser, Reibnegger, Swetly, Troppmair, and Wachter.

Reich, E. *See* Granelli-Piperno, Andrus, and Reich.

Reichlin, M. *See* Mathews, Reichlin, Hughes, and Bernstein.

Reinherz, E. L. *See* Royer, Bensussan, Acuto, and Reinherz.

Reiss, C. S. *See* Murre, Choi, Weis, Seidman, Ozato, Liu, Burakoff, and Reiss.

Remold, H. G. *See* Nathan, Prendergast, Wiebe, Stanley, Platzer, Remold, Welte, Rubin, and Murray.

Reynolds, C. W. *See* Henkart, Millard, Reynolds, and Henkart.

—, *See* Wiltrout, Mathieson, Talmadge, Reynolds, Zhang, Herberman, and Ortaldo.

Richle, R. *See* Perrin, Merkli, Loche, Chizzolini, Smart, and Richle.

Rifai, A., and Mannik, M. Clearance of circulating IgA immune complexes is mediated by a specific receptor on Kuppfer cells in mice. 125

Rinderknecht, E. *See* Celada, Gray, Rinderknecht, and Schreiber.

Robb, R. J., Greene, W. C., and Rusk, C. M. Low and high affinity cellular receptors for interleukin 2. Implications for the level of Tac antigen. 1126

—, *See* Waldmann, Goldman, Robb, Depper, Leonard, Sharrow, Bongiovanni, Korsmeyer, and Greene.

Robbins, P. W. *See* Mercurio, Schwarting, and Robbins.

Robinson, M. A., Long, E. O., Johnson, A. H., Hartzman, R. J., Mach, B., and Kindt, T. J. Recombination within the HLA-D region: correlation of molecular genotyping with functional data. 222

Rock, K. L., and Benacerraf, B. Inhibition of antigen-specific T lymphocyte activation by structurally related *Ir* gene-controlled polymers. II. Competitive inhibition of I-E-restricted, antigen-specific T cell responses. 1864

—, Benacerraf, B., and Abbas, A. K. Antigen presentation by hapten-specific B lymphocytes. I. Role of surface immunoglobulin receptors. 1102

—, *See* Yeh, Benacerraf, and Rock.

Roehm, N. W., Leibson, H. J., Zlotnick, A., Kappler, J., Marrack, P., and Cambier, J. C. Interleukin-induced increase in Ia expression by normal mouse B cells. 679

Roehm, N. *See* Haskins, Hannum, White, Roehm, Kubo, Kappler, and Marrack.

Ross, R. *See* Striker, Soderland, Bowen-Pope, Gown, Schmer, Johnson, Luchtel, Ross, and Striker.

Rothbard, J. B., Fernandez, R., and Schoolnik, G. K. Strain-specific and common epitopes of gonococcal pili. 208

—, *See* Edwards, McDade, Schoolnik, Rothbard, and Gotschlich.

Rothberger, H., and McGee, M. P. Generation of coagulation factor V activity by cultured rabbit alveolar macrophages. 1880

Royer, H. D., Bensussan, A., Acuto, O., and Reinherz, E. L. Functional isotypes are not encoded by the constant region genes of the β subunit of the T cell receptor for antigen/major histocompatibility complex. 947

Rubin, B. Y. *See* Nathan, Prendergast, Wiebe, Stanley, Platzer, Remold, Welte, Rubin, and Murray.

—, *See* Welte, Andreeff, Platzer, Holloway, Rubin, Moore, and Mertelsmann.

Ruddle, F. H. *See* Lee, D'Eustachio, Pravtcheva, Ruddle, Hedrick, and Davis.

Rusk, C. M. *See* Robb, Greene, and Rusk.

Russell-Jones, G. J., and Gotschlich, E. C. Identification of protein antigens of group B streptococci, with special reference to the Ibc antigens. 1476

—, Gotschlich, E. C., and Blake, M. S. A surface receptor specific for human IgA on group B streptococci possessing the Ibc protein antigen. 1467

S

Sacchi, F., and Hill, H. R. Defective membrane potential changes in neutrophils from human neonates. 1247

Sachs, D. H. *See* Ildstad, Wren, Sharrow, Stephany, and Sachs.

—, *See* Pescovitz, Thistlethwaite, Auchincloss, Ildstad, Sharp, Terrill, and Sachs.

Salmi, A. *See* Ahmed, Salmi, Butler, Chiller, and Oldstone.

Satake, M. *See* Susuki, Yabe, Satake, Juji, and Hamaguchi.

Schechter, N. M. *See* Briggaman, Schechter, Fraki, and Lazarus.
Schirrmacher, V. *See* Larizza, Schirrmacher, and Pflüger.
Schlesinger, D. H. *See* Gysin, Barnwell, Schlesinger, Nussenzweig, and Nussenzweig.
Schmalstieg, F. C. *See* Springer, Thompson, Miller, Schmalstieg, and Anderson.
Schmer, G. *See* Striker, Soderland, Bowen-Pope, Gown, Schmer, Johnson, Luchtel, Ross, and Striker.
Schmidt, J. A. Purification and partial biochemical characterization of normal human interleukin 1. 772
Schmitt Verhulst, A.-M. *See* Potter, Boyer, Schmitt Verhulst, Golstein, and Rajan.
Schoolnik, G. K. *See* Gariepy, O'Hanley, Waldman, Murad, and Schoolnik.
—, *See* Rothbard, Fernandez, and Schoolnik.
—, *See* Edwards, McDade, Schoolnik, Rothbard, and Gotschlich.
Schreiber, R. D. *See* Celada, Gray, Rinderknecht, and Schreiber.
Schwab, J. H. *See* Janusz, Chetty, Eisenberg, Cromartie, and Schwab.
Schwarting, G. A. *See* Mercurio, Schwarting, and Robbins.
Scott, G. *See* McDaniel, Scott, Kearney, and Briles.
Scott, W. A. *See* Aley, Cohn, and Scott.
—, *See* Pologe, Cramer, Pawlowski, Abraham, Cohn, and Scott.
Seehra, J. *See* Trinchieri, Matsumoto-Kobayashi, Clark, Seehra, London, and Perussia.
Segal, D. M. *See* Karpovsky, Titus, Stephany, and Segal.
Seidman, J. G. *See* Murre, Choi, Weis, Seidman, Ozato, Liu, Burakoff, and Reiss.
Sharp, T. G. *See* Pescovitz, Thistlethwaite, Auchincloss, Ildstad, Sharp, Terrill, and Sachs.
Sharpe, A. H., Gaulton, G. N., McDade, K. K., Fields, B. N., and Greene, M. I. Syngeneic monoclonal antiidiotype can induce cellular immunity to reovirus. 1195
Sharrow, S. O. *See* Ildstad, Wren, Sharrow, Stephany, and Sachs.
—, *See* Waldmann, Goldman, Robb, Depper, Leonard, Sharrow, Bongiovanni, Korsmeyer, and Greene.
Shepard, T. *See* Fukushi, Hakomori, and Shepard.
Sherman, D. H., Kranz, D. M., and Eisen, H. N. Expression of structurally diverse Qa-2-encoded molecules on the surface of cloned cytotoxic T lymphocytes. 1421
Sherwood, J. A. *See* Aley, Sherwood, and Howard.
Shevach, E. M. *See* Nakanishi, Malek, Smith, Hamaoka, Shevach, and Paul.
Silverstein, S. C. *See* Freedman, Gorrell, Nathan, Copeland, and Silverstein.
Silvestri, L. *See* Ghebrehiwet, Silvestri, and McDevitt.
Skehel, J. J. *See* Townsend and Skehel.
Slaoui, M., Leo, O., Marvel, J., Moser, M., Hiernaux, J., and Urbain, J. Idiotypic analysis of potential and available repertoires in the arsonate system. 1
—, *See* Meek, Jeske, Slaoui, Leo, Urbain, and Capra.
Smart, J. *See* Perrin, Merkli, Loche, Chizzolini, Smart, and Richle.
Smith, K. A. *See* Erard, Corthesy, Smith, Fiers, Conzelmann, and Nabholz.
—, *See* Nakanishi, Malek, Smith, Hamaoka, Shevach, and Paul.
Soderland, C. *See* Striker, Soderland, Bowen-Pope, Gown, Schmer, Johnson, Luchtel, Ross, and Striker.
Söderström, T. *See* Stein and Söderström.
Solomon, A. *See* Pons-Estel, Goñi, Solomon, and Frangione.
Sonoda, T., Kanayama, Y., Hara, H., Hayashi, C., Tadokoro, M., Yonezawa, T., and Kitamura, Y. Proliferation of peritoneal mast cells in the skin of W/W^v mice that genetically lack mast cells. 138
Spalding, D. M., Williamson, S. I., Koopman, W. J., and McGhee, J. R. Preferential induction of polyclonal IgA secretion by murine Peyer's patch dendritic cell-T cell mixtures. 941
Spellman, C. W., Anderson, W. L., Bernhard, E. J., and Tomasi, T. B. Suppression of antibody responses to topically applied antigens by ultraviolet light irradiation. Induction of phototolerance. 1891
Spits, H. *See* Yssel, Spits, and de Vries.
Sprent, J., and Bruce, J. Physiology of B cells in mice with X-linked immunodeficiency (*xid*). III. Disappearance of *xid* B cells in double bone marrow chimeras. 711
—, and Bruce, J. Physiology of B cells in mice with X-linked immunodeficiency. II. Influence of the thymus and mature T cells on B cell differentiation. 335
—, *See* Webb, Mosier, Wilson, and Sprent.
Springer, T. A., Thompson, W. S., Miller, L. J., Schmalstieg, F. C., and Anderson, D. C. Inherited deficiency of the Mac-1, LFA-1, p150,95 glycoprotein family and its molecular basis. 1901
St. Claire, J. I. *See* Denis, Treiman, St. Claire, and Witte.
Stanley, E. R. *See* Nathan, Prendergast, Wiebe, Stanley, Platzer, Remold, Welte, Rubin, and Murray.
Stanley, J. R. *See* Koulu, Kusimi, Steinberg, Klaus-Kovtun, and Stanley.
Stastny, P. *See* Hurley, Giles, Nunez, DeMars, Nadler, Winchester, Stastny, and Capra.
Stein, K. E., and Söderström, T. Neonatal administration of idiotype or antiidiotype primes for protection against *Escherichia coli* K13 infection in mice. 1001
Steinberg, M. S. *See* Koulu, Kusimi, Steinberg, Klaus-Kovtun, and Stanley.
Steinman, R. M. *See* Granelli-Piperno, Inaba, and Steinman.
—, *See* Inaba and Steinman.
—, *See* Inaba, Witmer, and Steinman.
Stephany, D. A. *See* Karpovsky, Titus, Stephany, and Segal.
—, *See* Ildstad, Wren, Sharrow, Stephany, and Sachs.
Stewart, S. J. *See* Fujimoto, Stewart, and Levy.
Stobo, J. D. *See* Weiss and Stobo.
Striker, G. E., Soderland, C., Bowen-Pope, D. F., Gown, A. M., Schmer, G., Johnson, A., Luchtel, D., Ross, R., and Striker, L. J. Isolation, charac-

terization, and propagation in vitro of human glomerular endothelial cells. 323

Striker, L. J. *See* Striker, Soderland, Bowen-Pope, Gown, Schmer, Johnson, Luchtel, Ross, and Striker.

Strominger, J. L. *See* Brenner, Trowbridge, McLean, and Strominger.

Summerill, C. K. *See* Pure, Durie, Summerill, and Unkeless.

Susuki, M., Yabe, T., Satake, M., Juji, T., and Hamaguchi, H. Two-dimensional gel electrophoretic analysis of the MT3 and DR4 molecules from the different D-typed cells. 751

Swetly, P. *See* Huber, Batchelor, Fuchs, Hausen, Lang, Niederwieser, Reibnegger, Swetly, Troppmair, and Wachter.

T

Tadokoro, M. *See* Sonoda, Kanayama, Hara, Hayashi, Tadokoro, Yonezawa, and Kitamura.

Talmadge, J. E. *See* Wiltrout, Mathieson, Talmadge, Reynolds, Zhang, Herberman, and Ortaldo.

Tamura, N. *See* Baba, Fujita, and Tamura.

Terrill, R. *See* Pescovitz, Thistlethwaite, Auchincloss, Ildstad, Sharp, Terrill, and Sachs.

Testa, J. R. *See* Fischkoff, Pollak, Gleich, Testa, Misawa, and Reber.

Thistlethwaite, J. R., Jr. *See* Pescovitz, Thistlethwaite, Auchincloss, Ildstad, Sharp, Terrill, and Sachs.

Thompson, W. S. *See* Springer, Thompson, Miller, Schmalstieg, and Anderson.

Thomson, T. M. *See* Houghton, Thomson, Gross, Oettgen, and Old.

Thorley-Lawson, D. *See* Donohue-Rolfe, Keusch, Edson, Thorley-Lawson, and Jacewicz.

Tilden, A. B. *See* Abo, Tilden, Balch, Kumagai, Troup, and Cooper.

Titus, J. A. *See* Karpovsky, Titus, Stephany, and Segal.

Tomasi, T. B. *See* Spellman, Anderson, Bernhard, and Tomasi.

Townsend, A. R. M., and Skehel, J. J. The influenza A virus nucleoprotein gene controls the induction of both subtype specific and cross-reactive cytotoxic T cells. 552

Treiman, L. J. *See* Denis, Treiman, St. Claire, and Witte.

Trinchieri, G., Matsumoto-Kobayashi, M., Clark, S. C., Seehra, J., London, L., and Perussia, B. Response of resting human peripheral blood natural killer cells to interleukin 2. 1147

Troppmair, J. *See* Huber, Batchelor, Fuchs, Hausen, Lang, Niederwieser, Reibnegger, Swetly, Troppmair, and Wachter.

Troup, G. M. *See* Abo, Tilden, Balch, Kumagai, Troup, and Cooper.

Trowbridge, I. S. *See* Brenner, Trowbridge, McLean, and Strominger.

Tsudo, M., Uchiyama, T., and Uchino, H. Expression of Tac antigen on activated normal human B cells. 612

Tucker, P. W. *See* Yuan and Tucker.

U

Uchino, H. *See* Tsudo, Uchiyama, and Uchino.

Uchiyama, T. *See* Tsudo, Uchiyama, and Uchino.

Uhr, J. W. *See* Layton, Vitetta, Uhr, and Krammer.

Uhr, J. W. *See* Vitetta, Fulton, and Uhr.

Unkeless, J. C. *See* Pure, Durie, Summerill, and Unkeless.

—, *See* Pure, Luster, and Unkeless.

Urbain, J. *See* Francotte and Urbain.

—, *See* Meek, Jeske, Slaoui, Leo, Urbain, and Capra.

—, *See* Slaoui, Leo, Marvel, Moser, Hiernaux, and Urbain.

V

van Furth, R., and Diesselhoff-den Dulk, M. M. C. Dual origin of mouse spleen macrophages. 1273

Vassalli, P. *See* Guy-Grand, Dy, Luffau, and Vassalli.

Venkatachalam, M. A. *See* Barnes and Venkatachalam.

Vitetta, E. S., Fulton, R. J., and Uhr, J. W. Cytotoxicity of a cell-reactive immunotoxin containing ricin A chain is potentiated by an anti-immunotoxin containing ricin B chain. 341

—, *See* Layton, Vitetta, Uhr, and Krammer.

Vlassara, H., Brownlee, M., and Cerami, A. Accumulation of diabetic rat peripheral nerve myelin by macrophages increases with the presence of advanced glycosylation endproducts. 197

W

Wachter, H. *See* Huber, Batchelor, Fuchs, Hausen, Lang, Niederwieser, Reibnegger, Swetly, Troppmair, and Wachter.

Waldman, S. A. *See* Gariepy, O'Hanley, Waldman, Murad, and Schoolnik.

Waldmann, T. A., Goldman, C. K., Robb, R. J., Depper, J. M., Leonard, W. J., Sharrow, S. O., Bongiovanni, K. F., Korsmeyer, S. J., and Greene, W. C. Expression of interleukin 2 receptors on activated human B cells. 1450

Wang, C. C., and Cheng, H.-W. The deoxyribonucleoside phosphotransferase of *Trichomonas vaginalis*. A potential target for anti-trichomonial chemotherapy. 987

Wang, C. Y. *See* Posnett, Bigler, Bushkin, Fisher, Wang, Mayer, Chiorazzi, and Kunkel.

Wank, R. *See* Johnson and Wank.

Watanabe, T. *See* Ishihara, Kudo, and Watanabe.

Waters, S. J., Luzzatti, P. R., and Bona, C. A. Functional properties of T cell clones with a double specificity for alloantigens and foreign antigens. 1300

Wax, J. S. *See* Potter, Hartley, Wax, and Gallahan.

Webb, S. R., Mosier, D. E., Wilson, D. B., and Sprent, J. Negative selection in vivo reveals expression of strong *Mls* determinants in mice with X-linked immunodeficiency. 108

Weis, J. *See* Murre, Choi, Weis, Seidman, Ozato, Liu, Burakoff, and Reiss.

Weiss, A., and Stobo, J. D. Requirement for the coexpression of T3 and the T cell antigen receptor on a malignant human T cell line. 1284

Welte, K., Andreeff, M., Platzer, E., Holloway, K., Rubin, B. Y., Moore, M. A. S., and Mertelsmann, R. Interleukin 2 regulates the expression of Tac antigen on peripheral blood T lymphocytes. 1390

—, *See* Nathan, Prendergast, Wiebe, Stanley, Platzer, Remold, Welte, Rubin, and Murray.

White, J. *See* Haskins, Hannum, White, Roehm, Kubo, Kappler, and Marrack.

Wiebe, M. E. *See* Nathan, Prendergast, Wiebe, Stanley, Platzer, Remold, Welte, Rubin, and Murray.

Williamson, S. I. *See* Spalding, Williamson, Koopman, and McGhee.

Wilson, D. B. *See* Kimura, Pickard, and Wilson.

—, *See* Webb, Mosier, Wilson, and Sprent.

Wiltrout, R. H., Mathieson, B. J., Talmadge, J. E., Reynolds, C. W., Zhang, S.-R., Herberman, R. B., and Ortaldo, J. R. Augmentation of organ-associated natural killer activity by biological response modifiers. Isolation and characterization of large granular lymphocytes from the liver. 1431

Winchester, R. *See* Hurley, Giles, Nunez, DeMars, Nadler, Winchester, Stastny, and Capra.

Witmer, M. D. *See* Inaba, Witmer, and Steinman.

Witte, O. N. *See* Denis, Treiman, St. Claire, and Witte.

Woller, R. *See* O'Donnell, Woller, and Chu.

Wren, S. M. *See* Ildstad, Wren, Sharrow, Stephany, and Sachs.

Y

Yabe, T. *See* Susuki, Yabe, Satake, Juji, and Hamaguchi.

Yeh, E. T. H., Benacerraf, B., and Rock, K. L. Analysis of thymocyte MHC specificity with thymocyte hybridomas. 799

Yonezawa, T. *See* Sonoda, Kanayama, Hara, Hayashi, Tadokoro, Yonezawa, and Kitamura.

Yssel, H., Spits, H., and de Vries, J. E. A cloned human T cell line cytotoxic for autologous and allogeneic B lymphoma cells. 239

Yuan, D., and Tucker, P. W. Transcriptional regulation of the μ-δ heavy chain locus in normal murine B lymphocytes. 564

Z

Zehavi, U. *See* Fenderson, Zehavi, and Hakomori. S.-I..

Zhang, S.-R. *See* Wiltrout, Mathieson, Talmadge, Reynolds, Zhang, Herberman, and Ortaldo.

Zhu, D., Lefkovits, I., and Köhler, G. Frequency of expressed immunoglobulin light chain genes in lipopolysaccharide-stimulated BALB/c spleen cells. 971

Zlotnick, A. *See* Roehm, Leibson, Zlotnick, Kappler, Marrack, and Cambier.

Zubler, R. H., Lowenthal, J. W., Erard, F., Hashimoto, N., Devos, R., and MacDonald, H. R. Activated B cells express receptors for, and proliferate in response to, pure interleukin 2. 1170